

Unless otherwise stated, F is a field and all matrices have entries in F .

1. Suppose A is an $m \times n$ matrix with $m < n$. Prove that the homogeneous system of linear equations $AX = 0$ has a non-trivial solution.
2. Suppose A is a square matrix. Prove that A is row equivalent to the identity matrix if and only if $AX = 0$ has no non-trivial solution.
3. Write down the following elementary matrices

:

(Note : An elementary matrix is a square matrix. The textbook has a typo in the definition of elementary matrices (page 20).)

- (a) The elementary matrix of size 4×4 that correspond to interchanging *2nd* and *4th* row.
- (b) The elementary matrix of size 4×4 that correspond to addition of $c - times$ the *2nd* row to the *4th* row.
- (c) The elementary matrix of size 4×4 that correspond to addition of $c - times$ the *4th* row to the *2nd* row.

- (d) The elementary matrix of size 4×4 that correspond to multiplying the 3rd row by scalar $c \neq 0$.
4. Let A, B, C be square matrices.
- (a) Suppose B is a left inverse of A and C is right inverse of A . Prove that $B = C$.
 - (b) Prove that inverse of a matrix, if it exists, is unique.
 - (c) Suppose all these matrices are invertible. Prove that $(ABC)^{-1} = C^{-1}B^{-1}A^{-1}$.
5. Let A be a square matrix. Prove that the following are equivalent:
- (a) A is invertible,
 - (b) A is row equivalent to the identity matrix,
 - (c) A is product of elementary matrices,
 - (d) the homogeneous system $AX = 0$ has only trivial solution,
 - (e) for any constant vector Y (of appropriate size) the system $AX = Y$ has a solution.
6. Let A, B be two $m \times n$ square matrix. Prove that the following are equivalent:

- (a) A is row equivalent to B .
 - (b) $A = PB$ where P is product of elementary matrices.
 - (c) $A = PB$ where P is an invertible matrix.
7. Let A be a square matrix. Prove that the following are equivalent:
- (a) A is invertible.
 - (b) A has a left inverse.
 - (c) A has a right inverse.
8. Let A be an upper triangular matrix. Prove that A is invertible if and only if the each diagonal entry is non-zero.